L Number	Hits	Search Text	DB	Time stamp
-	1930	(607/4,9,11,27-28).CCLS.	USPAT;	2004/07/09 12:54
			US-PGPUB;	
			EPO; JPO	
_	381	(600/510).CCLS.	USPAT;	2004/07/09 12:31
	301	(000,010).00=2.	US-PGPUB;	
			EPO; JPO	
_	361	((600/510).CCLS.) and (@ad<20011108 or @rlad<20011108)	USPAT;	2004/07/26 04:07
_	301	((000) 510).CCC5.) and (@dd \20011100 or @ndd \20011100)	US-PGPUB;	200 1/07/20 0 1107
			EPO; JPO	
	31	(((600/510).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/26 04:06
•	31	@rlad<20011108)) and (((detect\$5 or sens\$5) with (algorithm	US-PGPUB;	2001/07/2001.00
		or program\$6 or logic)) same (chang\$4 or optimiz\$6 or	EPO; JPO	
			LFO, 3FO	
	270	vary\$5))	USPAT;	2004/07/09 12:31
-	279	(600/513).CCLS.		2007/07/05 12.31
			US-PGPUB;	
٠		((*************************************	EPO; JPO	2004/00/44 46:00
-	249	((600/513).CCLS.) and (@ad<20011108 or @rlad<20011108)	USPAT;	2004/09/11 16:08
			US-PGPUB;	
			EPO; JPO	2004/07/00 12 52
-	1764	((607/4,9,11,27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 12:32
		@rlad<20011108)	US-PGPUB;	
			EPO; JPO	
-	3	(((600/510).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 12:34
		@rlad<20011108)) and (((detect\$45 or sens\$3) near2	US-PGPUB;	
		(algorithm or program\$6 or logic)) with (chang\$4 or optimiz\$6	EPO; JPO	
		or vary\$5 or modif\$8))		
-	3	(((600/513).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 12:34
		@rlad<20011108)) and (((detect\$45 or sens\$3) near2	US-PGPUB;	
		(algorithm or program\$6 or logic)) with (chang\$4 or optimiz\$6	EPO; JPO	
•		or vary\$5 or modif\$8))		
-	48	(((607/4,9,11,27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 12:55
		@rlad < 20011108)) and (((detect\$45 or sens\$3) near2	US-PGPUB;	
		(algorithm or program\$6 or logic)) with (chang\$4 or optimiz\$6	EPO; JPO	
		or vary\$5 or modif\$8))		
-	819	(607/17-26).CCLS.	USPAT;	2004/07/09 12:55
			US-PGPUB;	
			EPO; JPO	
-	742	((607/17-26).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 13:06
		@rlad < 20011108)	US-PGPUB;	
		·	EPO; JPO	
_	30	(((607/17-26).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 13:06
		@rlad<20011108)) and (((detect\$45 or sens\$3) near2	US-PGPUB;	
		(algorithm or program\$6 or logic)) with (chang\$4 or optimiz\$6	EPO; JPO	
		or vary\$5 or modif\$8))		
_	2537	(600/508-510,513,515-518).CCLS.	USPAT;	2004/07/09 13:05
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO	
_	2295	((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/26 04:07
		@rlad<20011108)	US-PGPUB;	
			EPO; JPO	
<u>-</u>	30	(((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 13:11
	55	@rlad<20011108)) and (((detect\$45 or sens\$3) near2	US-PGPUB;	
		(algorithm or program\$6 or logic)) with (chang\$4 or optimiz\$6	EPO; JPO	
		or vary\$5 or modif\$8))	, -, -	1
_	3817	((patient near2 state) or (disease near2 state) or ((progress\$3	USPAT;	2004/07/09 14:11
	301/	or regress\$3) near2 (disease or CHF or congest\$3))) and	US-PGPUB;	=====================================
	1	(600/\$ or 607/\$) and (@ad<20011108 or @rlad<20011108)	EPO; JPO	
	1			
	4174			2004/07/09 13:17
-	4124	(607/4-28).CCLS.	USPAT; US-PGPUB;	2004/07/09 13:17

•	379	(((patient near2 state) or (disease near2 state) or ((progress\$3 or regress\$3) near2 (disease or CHF or congest\$3))) and (600/\$ or 607/\$) and (@ad<20011108 or @rlad<20011108))	USPAT; US-PGPUB; EPO; JPO	2004/07/09 13:18
		and ((607/4-28).CCLS.)	-	
-	235	((607/4-28).CCLS.) and (@ad<20011108 or @rlad<20011108)	USPAT;	2004/07/09 14:15
		and (((patient near2 state) or (disease near2 state) or	US-PGPUB;	
		((progress\$3) or regress\$3) near2 (disease or CHF or	EPO; JPO	
		congest\$3))) same (sensing or sense\$2 or detect\$4 or	7	
		monitor\$4))		
-	122	((607/4-28).CCLS.) and (@ad<20011108 or @rlad<20011108)	USPAT;	2004/07/09 14:36
		and (((patient near2 state) or (disease near2 state) or	US-PGPUB;	
		((progress\$3 or regress\$3) near2 (disease or CHF or	EPO; JPO	
		congest\$3))) same ((sensing or sense\$2 or detect\$4 or monitor\$4) with (chang\$4 or optimiz\$6 or vary\$5 or modif\$8 or		
		adjust\$5)))		
_	48	((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/09 16:18
-		@rlad<20011108) and (((patient near2 state) or (disease near2	US-PGPUB;	
		state) or ((progress\$3 or regress\$3) near2 (disease or CHF or	EPO; JPO	
		congest\$3))) same ((sensing or sense\$2 or detect\$4 or		
		monitor\$4) with (chang\$4 or optimiz\$6 or vary\$5 or modif\$8 or		
		adjust\$5)))		
-	2555	(607/115,116,119,120,122,123,126,127).CCLS.	USPAT;	2004/07/09 16:19
			US-PGPUB;	
!		((COT)(4) = 440 440 420 422 422 420 427) CC(C) and	EPO; JPO	2004/07/00 16:20
-	51	((607/115,116,119,120,122,123,126,127).CCLS.) and	USPAT; US-PGPUB;	2004/07/09 16:20
		@pd>20040505	EPO; JPO	
	27	(((607/115,116,119,120,122,123,126,127).CCLS.) and	USPAT;	2004/07/09 16:21
-	21	@pd>20040505) and (@ad<20011121 or @rlad<20011121)	US-PGPUB;	2001,07,03 10.21
		@pu>200 10505) and (@dd \20011121 or @ndd \20011121)	EPO; JPO	
_	2548	(600/508-510,513,515-518).CCLS.	USPAT;	2004/07/26 04:22
		(,,,,,,,,,	US-PGPUB;	
			EPO; JPO	
-	2299	((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/26 04:07
		@rlad<20011108)	US-PGPUB;	
	275	(((CO)(CO) F40 F47 F4F F40) CC(C) and (@ad c)(011100 an	EPO; JPO USPAT;	2004/07/26 04:08
-	275	(((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or @rlad<20011108)) and (((detect\$5 or sens\$5 or monitor\$)	US-PGPUB;	2004/07/20 04.00
		with (algorithm or program\$6 or logic)) same (chang\$4 or	EPO; JPO	
		optimiz\$6 or vary\$5 or modif\$9))	210,510	
<u> </u>	220	(((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/26 04:09
j		@rlad<20011108)) and (((detect\$5 or sens\$5 or monitor\$)	US-PGPUB;	
		with (algorithm or program\$6 or logic)) same (chang\$4 or	EPO; JPO]
		optimiz\$6 or vary\$5 or modif\$9)) and ((patient near2 state) or		
		posture or position or disease or progress\$4 or regress\$4)	l	
-	207	(((600/508-510,513,515-518).CCLS.) and (@ad<20011108 or	USPAT;	2004/07/26 04:17
		@rlad<20011108)) and (((detect\$5 or sens\$5 or monitor\$)	US-PGPUB;	
		with (algorithm or program\$6 or logic)) same (chang\$4 or	EPO; JPO	
		optimiz\$6 or vary\$5 or modif\$9)) and ((patient near2 state) or		
	4	posture or position or progress\$4 or regress\$4) "045844"	USPAT;	2004/07/26 17:45
-	· •	0-130-1-1	US-PGPUB;	200 1/07/20 27:13
			EPO; JPO	
-	2	"10045844"	USPAT;	2004/07/26 17:45
	-		US-PGPUB;	
			EPO; JPO	
-	1905	(600/508,510,513,515-518).CCLS.	USPAT;	2004/09/11 15:18
			US-PGPUB;	
]			EPO; JPO;	
		(507/4.0.47.26) 5015	DERWENT	2004/00/11 15:10
-	2060	(607/4,9,17-26).CCLS.	USPAT; US-PGPUB;	2004/09/11 15:19
			EPO; JPO;	
			DERWENT	
L	l	[<u> </u>

-	1077	(((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 16:08
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or @rlad<20011108) and ((patient or human or subject) near2	US-PGPUB; EPO; JPO	
		(state or condition or disease or fitness))	LICOAT	2004/00/44 46 44
-	501	(((600/508,510,513,515-518).CCLS.) or	USPAT; US-PGPUB;	2004/09/11 16:11
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or @rlad<20011108) and (((patient or human or subject) near2	EPO; JPO	
		(state or condition or disease or fitness)) same (detect\$3 or	2.0,5.0	
		algorithm or evoke\$3))		
-	78	sloman.in.	USPAT;	2004/09/11 15:31
			US-PGPUB;	
	26	sloman.in. and (607/\$ or 600/\$)	EPO; JPO USPAT;	2004/09/11 16:08
-	26	Signali.iii. and (607/\$ or 600/\$)	US-PGPUB;	2004/03/11 10:00
			EPO; JPO	
-	24	(sloman.in. and (607/\$ or 600/\$)) and (@ad<20011108 or	USPAT;	2004/09/11 16:08
		@rlad<20011108)	US-PGPUB;	
			EPO; JPO	2004/00/11 16:12
-	810	(((600/508,510,513,515-518).CCLS.) or ((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	USPAT; US-PGPUB;	2004/09/11 16:13
		((607/4,9,17-26).CCLS.)) and (@ad<20011106 or @rlad<20011108) and (((patient or human or subject) near2	EPO; JPO	
		(state or condition or disease or fitness)) and ((detect\$3 or	2.0,5.0	
		algorithm or determin\$7 or evok\$3)) with (chang\$5 or		
		modif\$7 or substitut\$6 or adjust\$5 or adapt\$7))		
-	1	(607/27-28) and (@ad<20011108 or @rlad<20011108) and	USPAT;	2004/09/11 16:14
	1	(((patient or human or subject) near2 (state or condition or disease or fitness)) and ((detect\$3 or algorithm or	US-PGPUB; EPO; JPO	
		determin\$7)) with (chang\$5 or modif\$7 or substitut\$6 or	[[[]]	
		adjust\$5 or adapt\$7))		
-	808	(((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 16:38
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and (((patient or human or subject) near2	EPO; JPO	
		(state or condition or disease or fitness)) and ((detect\$3 or algorithm or determin\$7)) with (chang\$5 or modif\$7 or		
		substitut\$6 or adjust\$5 or adapt\$7))		
-	224	(((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 16:36
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and (((patient or human or subject) near2	EPO; JPO	
		(state or condition or disease or fitness)) same ((detect\$3 or algorithm or determin\$7)) with (chang\$5 or modif\$7 or		
		substitut\$6 or adjust\$5 or adapt\$7))		
	11	"977052"	USPAT;	2004/09/11 16:19
			US-PGPUB;	
		/// FIRE THE THE THE THE THE THE THE THE THE TH	EPO; JPO	2004/00/11 17:35
-	88	(((600/508,510,513,515-518).CCLS.) or	USPAT; US-PGPUB;	2004/09/11 17:35
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or @rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
		adapt\$7) adj2 detection)	3, 5. 3	
-	35	((((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 17:00
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
		adapt\$7) adj2 detection)) and ((patient or human or subject) near2 (state or condition or disease or fitness))		
•	2	("5,370,124").PN.	USPAT;	2004/09/11 16:58
		(),5,5,2,2,1,1,11	US-PGPUB;	
			EPO; JPO;	
	_		DERWENT	2004/00/11 16:55
-	5 8	5370124.URPN.	USPAT USPAT;	2004/09/11 16:55 2004/09/11 16:58
-	8	"187797" and (607/\$ or 600/\$)	US-PGPUB;	200 1/03/11 10.30
			EPO; JPO;	
			DERWENT	

-	127	(((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 17:20
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
	46	adapt\$7) adj2 algorithm)	USPAT;	2004/09/11 17:21
-	46	((((600/508,510,513,515-518).CCLS.)) or ((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	2007/03/11 17.21
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
		adapt\$7) adj2 algorithm)) and ((patient or human or subject)	1,0,5,0	
		near2 (state or condition or disease or fitness))	1	
_	46	(((((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 17:01
		(((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
		adapt\$7) adj2 algorithm)) and ((patient or human or subject)	·	
	i	near2 (state or condition or disease or fitness))) not		
		(((((600/508,510,513,515-518).CCLS.) or		
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or		
		@rlad < 20011108) and ((chang\$5 or modif\$7 or adjust\$5 or		
		adapt\$7) adj2 detection)) and ((patient or human or subject)		
		near2 (state or condition or disease or fitness)))		2004/00/44 47 22
-	459	(((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 17:22
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
,	102	adapt\$7) adj2 (sensitivity or threshold)) ((((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 17:12
-	183	(((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	2001/03/11 17:12
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
		adapt\$7) adj2 (sensitivity or threshold))) and ((patient or		
		human or subject) near2 (state or condition or disease or		
		fitness))		
-	71	(((600/508,510,513,515-518).CCLS.) or	USPAT;	2004/09/11 17:39
		((607/4,9,17-26).CCLS.)) and (@ad<20011108 or	US-PGPUB;	
		@rlad<20011108) and (((chang\$5 or modif\$7 or adjust\$5 or	EPO; JPO	
		adapt\$7) adj2 parameters) same ((patient or human or		
		subject) near2 (state or condition or disease or fitness)))	LICOAT	2004/00/11 17:21
-	649	(607/27-28).CCLS.	USPAT;	2004/09/11 17:21
			US-PGPUB; EPO; JPO;	
			DERWENT	
	2	(((607/27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/09/11 17:22
-	*	@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	US-PGPUB;	200 1, 00, 00 01 12
		adapt\$7) adj2 algorithm)) and ((patient or human or subject)	EPO; JPO	
		near2 (state or condition or disease or fitness))		
-	174	((607/27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/09/11 17:22
	1	@rlad < 20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	US-PGPUB;	
		adapt\$7) adj2 (sensitivity or threshold))	EPO; JPO	
-	67	(((607/27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/09/11 17:35
		@rlad < 20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	US-PGPUB;	
		adapt\$7) adj2 (sensitivity or threshold))) and ((patient or	EPO; JPO	
		human or subject) near2 (state or condition or disease or		
		fitness))	HCDAT.	2004/09/11 17:35
-	16	((607/27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/09/11 17:35
		@rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	US-PGPUB; EPO; JPO	
	_	adapt\$7) adj2 detection)	USPAT;	2004/09/11 17:38
-	5	(((607/27-28).CCLS.) and (@ad<20011108 or @rlad<20011108) and ((chang\$5 or modif\$7 or adjust\$5 or	US-PGPUB;	200 1/03/11 17.30
		adapt\$7) adj2 detection)) and ((patient or human or subject)	EPO; JPO	
		near2 (state or condition or disease or fitness))	,	
l <u>-</u>	6	"952458"	USPAT;	2004/09/11 17:38
Ì		332.33	US-PGPUB;	
			EPO; JPO	
-	30	((607/27-28).CCLS.) and (@ad<20011108 or	USPAT;	2004/09/11 17:39
		@rlad < 20011108) and (((chang\$5 or modif\$7 or adjust\$5 or	US-PGPUB;	
		adapt\$7) adj2 parameters) same ((patient or human or	EPO; JPO	
		subject) near2 (state or condition or disease or fitness)))		L